

GWN700X Router Firmware Release Notes

IMPORTANT UPGRADING NOTE

- 1. After upgraded to 1.0.11.6 and later, downgrade to 1.0.5.36 or prior will factory reset the device. Please back up all the configuration before downgrading.**
2. GWN700x 1.0.5.35 or later firmware requires GWN Manager version to be at least 1.1.28.27 or newer.
3. Downgrading from firmware 1.0.5.x or higher version to 1.0.3.x or lower version will cause device to perform factory reset automatically. All device configurations will be reset to factory default settings after downgrading.

Table of Content

IMPORTANT UPGRADING NOTE	1
FIRMWARE FILE DOWNLOAD	5
FIRMWARE VERSION 1.0.11.61	6
PRODUCT NAME	6
DATE	6
FIRMWARE FILE INFORMATION	6
CHANGES/ENHANCEMENT	6
FIRMWARE VERSION 1.0.11.36	8
PRODUCT NAME	8
DATE	8
FIRMWARE FILE INFORMATION	8
CHANGES/ENHANCEMENT	8
FIRMWARE VERSION 1.0.11.35	9
PRODUCT NAME	9
DATE	9
FIRMWARE FILE INFORMATION	9
CHANGES/ENHANCEMENT	9
NEW FEATURE OVERVIEW	9
FIRMWARE VERSION 1.0.11.26	10
PRODUCT NAME	10
DATE	10
FIRMWARE FILE INFORMATION	10
CHANGES/ENHANCEMENT	10
FIRMWARE VERSION 1.0.11.18	11
PRODUCT NAME	11
DATE	11
FIRMWARE FILE INFORMATION	11
CHANGES/ENHANCEMENT	11
FIRMWARE VERSION 1.0.11.6	12
PRODUCT NAME	12
DATE	12

FIRMWARE FILE INFORMATION	12
CHANGES/ENHANCEMENT	12
NEW FEATURE OVERVIEW	15
FIRMWARE VERSION 1.0.5.36	19
PRODUCT NAME	19
DATE	19
FIRMWARE FILE INFORMATION	19
CHANGES/ENHANCEMENT	19
FIRMWARE VERSION 1.0.5.35	20
PRODUCT NAME	20
DATE	20
FIRMWARE FILE INFORMATION	20
CHANGES/ENHANCEMENT	20
FIRMWARE VERSION 1.0.5.30	21
PRODUCT NAME	21
DATE	21
FIRMWARE FILE INFORMATION	21
CHANGES/ENHANCEMENT	21
NEW FEATURE OVERVIEW	21
FIRMWARE VERSION 1.0.5.7	22
PRODUCT NAME	22
DATE	22
FIRMWARE FILE INFORMATION	22
CHANGES/ENHANCEMENT	22
FIRMWARE VERSION 1.0.5.6	23
PRODUCT NAME	23
DATE	23
FIRMWARE FILE INFORMATION	23
CHANGES/ENHANCEMENT	23
NEW FEATURE OVERVIEW	24
FIRMWARE VERSION 1.0.3.5	28
PRODUCT NAME	28
DATE	28
FIRMWARE FILE INFORMATION	28
CHANGES/ENHANCEMENT	28

FIRMWARE VERSION 1.0.3.429

PRODUCT NAME	29
DATE	29
FIRMWARE FILE INFORMATION	29
CHANGES/ENHANCEMENT.....	29

FIRMWARE VERSION 1.0.1.630

PRODUCT NAME	30
DATE	30
FIRMWARE FILE INFORMATION	30
CHANGES/ENHANCEMENT.....	30

FIRMWARE FILE DOWNLOAD

Individual firmware files are available for downloading at URL below:

<https://www.grandstream.com/support/firmware>

FIRMWARE VERSION 1.0.11.61

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

8/6/2026

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 3eae429d0e2ad45ca22d101710119bb1

CHANGES/ENHANCEMENT

- Overview: Added a "Sync NTP Server Time" button.
- Navigation Bar: Added a new "Security Mode" menu.
- WAN: Added Release/Renew buttons when the WAN connection type is set to DHCP.
- LAN: Added support for configuring VLAN subnet masks with /31.
- LAN: Added support for configuring two IPv4 addresses for VLANs and associating them with two DHCP servers.
- LAN: Added a new DHCP Server configuration.
- LAN: Added Bridge Mode for Bonjour Gateway.
- PPTP: Added support for obtaining PPTP client addresses from the local network.
- Routing Table: Added VPN and System protocol types and a Metric column.
- Static Route: Changed the default administrative distance to 1.
- Routing: Added a new Administrative Distance menu.
- Firewall: Added uRPF (Unicast Reverse Path Forwarding) support.
- System Settings: Added an Administrator menu.
- Security Management: Moved SSH Remote Access to Maintenance -> Diagnostics and rename it to Remote Support.
- System Settings: Add System Location and System Contact settings and synchronize them with SNMP.
- Maintenance: Add an Administrator Change Alert.
- WAN: Automatically disable VPN services that depend on a deleted WAN interface.
- Security: Enhanced system security.
- Security: Added option to allow login web or SSH using credentials saved in RADIUS.
- Security: Added option to edit the banned time duration for web login.
- Added option to delay applying changes on the routers.
- Added ability to establish BGP interfaces as prefer route.
- Added multiuser management for router administration.
- Added ability to edit SNMP OID values SysName, sysContact and sysLocation from RFC1213 for MIB-II.

- Fixed an issue where IPsec Tunnel Using FQDN Does Not Re-establish After Remote IP Change.
- Fixed an issue where "Set Firewall Inbound Rule failed" error.
- Internal bug fixes.

FIRMWARE VERSION 1.0.11.36

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

6/8/2026

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 9f2bdc6b004f8e3c87228eebec33ead3

CHANGES/ENHANCEMENT

- Internal bug fixes.

FIRMWARE VERSION 1.0.11.35

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

12/10/2025

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: b1e8c37e51dd19a16a147ba950d1b963

CHANGES/ENHANCEMENT

- Added support to 4G USB dongle and allow set it as WAN
- Internal bug fixes.

NEW FEATURE OVERVIEW

- 4G USB Dongle**

Now GWN700x support to use 4G USB Dongle and use it as WAN

	GWN7001	GWN7002	GWN7003
USB Port Specifications	Supports connection of 4G USB modems with power consumption not exceeding the maximum output for the corresponding hardware version: • Output for hardware version before V2.0A: 0.5A 2.5W • Output for hardware version after V2.0A: 0.8A 4W		Supports connection of 4G USB modems with power consumption not exceeding the maximum output for the corresponding hardware version: • Output for hardware version before V2.0A: 0.5A 2.5W • Output for hardware version after V2.0A: 1A 5W
PoE Input	N/A	Standard: IEEE 802.3af/at	
PoE Output	N/A	2x PoE out ports Passive 48V or IEEE802.3af	
PoE Power Budget	N/A	24V DC 1A: 12.8W 24V DC 1.5A: 24.8W	24V DC 1A: 12.8W 24V DC 1.5A: 24.8W 24V DC 2A: 36W
Power & Green Energy Efficiency	Universal power adaptor included Input: 100-240VAC 50-60Hz Output: 12V DC 1A (12W)	Universal power adaptor included: Input: 100-240VAC 50-60Hz Output: 24V DC 1A (24W)	Universal power adaptor included: Input: 100-240VAC 50-60Hz Output for hardware versions before V2.0: 24V DC 1A (24W) Output for hardware versions after V2.0: 24V DC 2A (48W)

FIRMWARE VERSION 1.0.11.26

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

10/24/2025

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 49d5d875f7ab51c68c2b1e9d4a9381cc

CHANGES/ENHANCEMENT

- Added support to more SNMP communities
- Added support to IP allow list on WAN's port web access
- Added option to limit the bandwidth on WAN port
- Added support to IP address Group for QoS Rules
- Fixed an issue that QoS Rule does not allow subnet mask under Source IP address
- Internal bug fixes.

FIRMWARE VERSION 1.0.11.18

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

2/13/2025

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: b7c35682c9a98ca7455a7d9e69d3ae5a

CHANGES/ENHANCEMENT

- Added support to load-balancing policies.
- Added support to re-factory certificates.
- Added support for port forwarding rule with multiple source IP addresses.
- Added VLAN ID for PPSK.
- Fixed a security issue of OS command injection in networking alert-notify.
- Fixed an issue that cloud server fails to deliver portal configuration to routers.
- Fixed an issue that /31 subnet mask was not supported on 1.0.11.6 which was working fine.
- Fixed an issue that WAN port cannot set static IP with low subnet mask.
- Fixed an issue that it unable to download any files from router, with error message "504 Gateway Time-out".
- Internal bug fixes.

FIRMWARE VERSION 1.0.11.6

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

10/15/2024

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: b36e6c140de23e50e08b67aa0d6cd1b0

CHANGES/ENHANCEMENT



- Allow VLAN2 to be used.
- Optimized Trace IP feature.
- Optimized RADIUS configuration as a profile.
- Optimized dynamic route WAN action rule.
- Optimized Wireguard configuration.
- Optimized IPSec forwarding destination group configuration that users do not need to configure.
- Optimized VPN Web UI configuration for PPTP, OpenVPN, IPSec, L2TP, and Wireguard.
- Optimized VPN list display for rate, traffic, etc.
- Optimized Port forwarding configuration.
- Optimized automatic Daylight Saving/winter time zone detection.
- Optimized TR-069 ACS source configuration.
- Optimized hardware acceleration prompt text.
- Optimized Feedback configuration.
- Optimized WAN, client list information display.
- Optimized Client list filtering.
- Optimized the rate statistics period for wired and wireless clients.
- Optimized unit display on the file storage interface.
- Optimized Alert & Notifications Web UI.
- Optimized Static IP Binding configuration.
- Displays the client virtual IP when it connected to PPTP/OpenVPN Server.
- Changed IPSec Site-to-Site local source IP to be automatically obtained.
- Increased IPSec Site-to-Site the number of subnets.
- Disable password wizard after password provisioning.
- Disable the LED of the device is off.
- Disable Twitter forces Follow by default.
- After changing the login password, the web will be forcibly logged out.

- Modified the text "GWN Cloud" to "GDMS Networking".
- Increased The client validity period of the portal policy to 30 days.
- OpenVPN/Wireguard local ports automatically provide an available number.
- Modules such as policy routing/static routing/port forwarding support to search by name.
- GWN700x maximum number of APs supported command line open to 300.
- Added support for switch management.
- Added switch statistics to the dashboard.
- Added support for dynamic routing: OSPF/RIP/BGP.
- Added support for filtering by interface in the policy pool.
- Added default policy routing rule display function in policy routing.
- Added new filter based on load balancing policy name in policy routing.
- Added VPN configuration wizard.
- Added IPSec Site-to-Site currently connected subnet display.
- Added support for OpenVPN Server PSK one-click key generation.
- Added support for 6G band.
- Added "Authenticated Guest" status in the client list.
- Added a filter to the traffic rules, client list, etc.
- Added support for schedule in the traffic rule configuration.
- Added exception IP in DoS defense.
- Added support for wired client portal authentication.
- Added support for Bypass Splash Page in captive portal policy.
- Added support for captive portal on wired network.
- Added support for Standby on Demand mode for PPPoE.
- Added automatic synchronization router time configuration.
- Added support for setting up multiple NTP servers.
- Added domain to GWN router's LAN access.
- Added support to configure PPSK on the Cloud to take effect on the router.
- Added support to display the DDNS domain name configured through the Cloud.
- Added Web UI user manual guide.
- Added support to filter the AP device list based on device status.
- Added connected status to the selected WAN port.
- Added support for dashboard to display traffic statistics details for each WAN port.
- Added multiple language support.
- Added the option to set the Web GUI language on the configuration.
- Adjusted QoS bandwidth limit input range.
- Added support to show the ports to which the current device is connected in client list and AP list.
- Added real-time status update switch in the client list.
- Added a reminder if Mesh is not enabled on the router when taking over the RE device.
- Added support to clone rules in traffic rules, NAT, and port forwarding.
- Added support for exporting .ovpn files.
- Added VPN user manual guide.


- Added GWN APP management guide.
- Added standby mode in policy routing.
- Added support for failover to next rule in policy routing.
- Added IP address and IP address group profile.
- Added FQDN and FQDN group profile.
- Added object grouping profile support.
- Added support for importing OpenVPN Client CA and certificates.
- Added LAN port status alert.
- Added the ability to detect the public IP for DDNS and IPSec one key debug.
- Added the ability to detect the public IP when the GWN700x is behind another router.
- Added support for nslookup.
- Added support to configure blackhole for static routes.
- Added support for cloud security alerts.
- Added supports for cloud configuration of exempt IP, DoS defense, and Spoofing defense.
- Added support for cloud configuration of DDNS IP source and update interval.
- Added support for TR069, settings can be found under Maintenance.
- Added support to disable Inter-VLAN between specific VLANs.
- Added "Service Name" field to the WAN PPPoE configuration.
- Cloud/Manager connection detection support multiple links.
- Fixed an issue that could lead L2TP VPN connection not stable.
- Fixed some PPTP VPN issues.
- Fixed some PPPoE issues.
- Fixed some OpenVPN issues.
- Fixed that VPN and Port Forwarding settings being deleted after WAN disabled.
- Fixed an issue that input wrong AP login password would not prompt error when takeover AP record.
- Fixed IPv6 address source display incorrect after deleting WAN1.
- Fixed large amount of packet loss in 2 LAN to 2 WAN streaming environment.
- Fixed USB device security popup is failed in some cases.
- Fixed an issue that when the SNMPv3 username or password contains " ", the SNMP connection fails.
- Internal bug fixes.

NEW FEATURE OVERVIEW

- **Switch management**




• Dynamic routing: OSP/RIP/BGP




The screenshot shows the Grandstream GWN7002 Enterprise web interface. The left sidebar contains a navigation menu with options: Overview, Network Settings, Clients, VPN, Routing (expanded), Traffic Management, AP Management, Switch Management, Access Control, and External Access. Under the 'Routing' section, the following options are listed: Routing Table, Policy Routes, Static Routes, **OSPF** (selected), RIP, and BGP. The main content area is titled 'OSPF' and has tabs for Global Settings, Interface Settings, Area Settings, and Neighbor Info. The 'Global Settings' tab is active, showing a toggle switch for 'OSPF' which is currently turned off. Below the toggle are 'Cancel' and 'Save' buttons. At the bottom of the page, there is a copyright notice: '© 2024 Grandstream Networks, Inc. Grandstream Software License Agreement'.

• VPN configuration wizard




The screenshot shows the Grandstream GWN7002 Enterprise web interface with the 'Setup Wizard' for VPN configuration. The left sidebar is the same as in the previous screenshot, but the 'VPN' option is selected, and the 'Setup Wizard' is highlighted. The main content area is titled 'Setup Wizard' and displays three VPN options: WireGuard®, IPsec, and OpenVPN®. WireGuard® is marked as 'Recommend' and includes the following features: Lightweight, small memory usage; Faster and low latency than OpenVPN; Easy to deploy, supporting a variety of networking scenarios; and Configuration generation and quick export. IPsec includes: Highly secure and flexible; With GDMS Networking, one-stop automatic networking, links can be automatically rebuilt after WAN IP changes; and Improve data transmission performance and efficiency through hardware acceleration and optimized configuration. OpenVPN® includes: Compatible with multiple platforms such as Windows, Mac, Android, iOS, etc.; Certificate management can effectively manage the timeliness of access users; and Multiple authentication methods such as User, SSL (certificate), suitable for various networking scenarios.

- **Multiple Language Support**



- **IP Address and IP Address Group**



- **FQDN and FQDN Group**

GWN7002Enterprise

Traffic Management

AP Management

Switch Management

Access Control

External Access

Firewall

Captive Portal

Maintenance

System Settings

Profiles

MAC Group

IP Address Group

FQDN

RADIUS

Schedule

Certificates

FQDN

Address

Address Group

No data, please add.

Add

© 2024 Grandstream Networks, Inc. [Grandstream Software License Agreement](#)

GRANDSTREAM NETWORKS

GWN700X Firmware Release Notes

Page 18

FIRMWARE VERSION 1.0.5.36

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

08/07/2024

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: e9140b6cb1e88373f60aa1017ea8d14e

CHANGES/ENHANCEMENT

- Internal bug fixes.

FIRMWARE VERSION 1.0.5.35

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

06/24/2024

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 13591e969ab15a297abf70e207f5791c

CHANGES/ENHANCEMENT

- Enhanced security by adding support for GWN Manager that new access devices require password authorization for Layer 2 discovery.

FIRMWARE VERSION 1.0.5.30

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

01/23/2024

FIRMWARE FILE INFORMATION


- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 9b9daf917dd0d0b869ed01524e4e683a

CHANGES/ENHANCEMENT

- Added the new feature of **Speed test**
- Added the new feature of **ISP default configuration**
- Internal bug fixes

NEW FEATURE OVERVIEW

- Speed test**



- ISP default configuration**

With the provided gs configuration tool, administrators can provision an ISP default configuration to the router. After provisioning, by performing factory reset, the device will restore to the customized default configuration other than the original factory default settings.

FIRMWARE VERSION 1.0.5.7

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

12/15/2023

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 6c6f845a68ff9290fdf4e88a3230751e

CHANGES/ENHANCEMENT

- Removed the DHCP range restriction on Static IP assignment which was added in 1.0.5.6
- Internal bug fixes

FIRMWARE VERSION 1.0.5.6

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

11/10/2023

FIRMWARE FILE INFORMATION

- GWN700x Firmware file name: gwn700xfw.bin
MD5 checksum: 2d2479ff320d6dbce1c5eac2ab21c27e


CHANGES/ENHANCEMENT

- Added new feature of **IGMP**
- Added new feature of **HostName** access
- Added new feature of **IP Routed Subnet**
- Added new feature of DHCP Option Optimization & **Option 43 Service List**
- Added new feature of **Triple Play**
- Added new feature of **Bandwidth Limit**
- Added new feature of **WireGuard®**
- Added new feature of **mDNS Bonjour**
- Added new feature of **Cloud/Manager Connection Diagnostics**
- Added support of Transferring APs to GWN Cloud/Manager
- Added support of disabling/enabling Ethernet port
- Added support of Facebook/Twitter/Google authentication for Captive Portal
- Added support of 1 month data local store for GWN7003
- Added support of displaying associated Wi-Fi clients' information from managed APs
- Added support of exporting client/access point/guest list
- Added support of VPN cert backup and restore
- Added support of scheduling for SSID bandwidth limit and policy routing
- Added support of filtering clients by VLAN ID
- Added support of more Cloud Features: Portal, VPN, Policy Routing, Modifying web Password, Certification management, WAN Health, WAN VLAN Priority.
- Optimized the IP binding configurations
- Optimized the Alert settings and added more Alert events
- Removed DST for Mexico time zone
- More bug fixes

NEW FEATURE OVERVIEW


- IGMP**

Support IGMP proxy and IGMP snooping settings.



- HostName Access**

This will allow local users to use configured hostname to access router web portal.



- IP Routed Subnet**

Configuration is available to LAN settings, Once enabled, clients will be allowed to access WAN without NAT.

Preferred DNS Server: 192.168.4.2
 Alternative DNS Server: 8.8.8
 IPv4 Routed Subnet: ☒

* Interface: ATT (WAN)

- DHCP Option Optimization & Option 43 Service List**

GWN7052F Enterprise admin

LAN > Edit VLAN

DHCP Service: ☒

*IPv4 Address Allocation Range: 192.168.4.2 - 192.168.4.100

*Release Time(m): 120 Default 120, range 60-2880

DHCP Option	Option	Type	Service	Content
43	ASCII	Custom	192.168.1.1	+

Preferred DNS Server:
 Alternative DNS Server:
 IPv4 Routed Subnet: ☐
 VLAN Port IPv6 Address: ☐

Cancel Save

Custom
 ACS URL
 ProvisioningCode
 Firmware Serve...
 VLAN ID
 VLAN Priority
 Manager Server...
 Manager Server...

Add +

© 2023 Grandstream Networks, Inc. [Grandstream Software License Agreement](#)

- Triple Play**

Configuration is available at Network Settings → WAN → Edit WAN

Bridge Mode: ☒

*VLAN Tag ID/Port/Priority

VLAN Tag ID	Port	Priority
Enter VLAN Tag ID	Choose Port	0

Add +

- Bandwidth Limit**

GWN7062 Enterprise

Network Settings > **Bandwidth Limit** > Add Bandwidth Limit

*Name 1-64 characters

Status ☒

Constraint Range

*IP Address/Mask Length / Add +

Maximum Upload Bandwidth Kbps The range is 1~1024, if it is empty, there is no limit

Maximum Download Bandwidth Kbps The range is 1~1024, if it is empty, there is no limit

Bandwidth Schedule ☐

© 2023 Grandstream Networks, Inc. [Grandstream Software License Agreement](#)

- **WireGuard®**

GWN7052F Enterprise


WireGuard®

WireGuard® Peers

☐	Name	Status	Ports	WireGuard® Address	Uptime	Upload	Download	Operations
☐	WG_Server	☒	WAN1 (WAN)		0s	↑ 0B	↓	Edit Refresh Delete


© 2023 Grandstream Networks, Inc. [Grandstream Software License Agreement](#)

- **mDNS Bonjour**



The screenshot shows the Grandstream GWN7052F Enterprise web interface. The left sidebar contains navigation menus for Overview, Network Settings, Port Configuration, WAN, LAN (selected), IGMP, Network Acceleration, Clients, VPN, Routing, Traffic Management, AP Management, and Access Control. The main content area is titled 'LAN' and includes tabs for VLAN, VLAN Port Settings, Static IP Binding, Local DNS Records, and Bonjour Gateway (selected). The Bonjour Gateway section has a toggle switch turned on. Below it, there are fields for '* VLAN' (set to 'All VLANs') and '* Service' (with a dropdown menu open showing options: Any, AirPlay, AirPrint, chromeCast, FTP, HTTP, iChat, Samba, and SSH). The footer indicates '© 2023 Grandstream Networks, Inc. Grandstream Software License Agreement'.

- **Cloud/Manager Connection Diagnostics**



The screenshot shows the Grandstream GWN7003 Enterprise web interface. The left sidebar contains navigation menus for Overview, Network Settings, Clients, VPN, Routing, Traffic Management, AP Management, Access Control, External Access, Firewall, Captive Portal, Maintenance, TR-069, SNMP, Backup & Restore, System Diagnostics (selected), Upgrade, Alerts & Notifications, and System Settings. The main content area is titled 'System Diagnostics' and includes tabs for Ping / Traceroute, Core File, Capture, External Syslog, ARP Cache Table, Link Tracing Table, Network Diagnostics, PoE Diagnostics, and Cloud/Manager Connection Diagnostics (selected). The Cloud/Manager Connection Diagnostics section shows 'Connection Platform: Cloud' and 'Connection Status: Connected'. Below this, there is a 'Connection Detection' section with a 'Redirect' button and a list of phases: Preparation Phase, Domain Name Resolution Phase, TCP Connection Phase, TLS Connection Phase, HTTP(S) Transaction Phase, and WS(S) Upgrade Phase. A 'Log' section at the bottom has 'Get Log' and 'Export' buttons. The footer indicates '© 2023 Grandstream Networks, Inc. Grandstream Software License Agreement'.

FIRMWARE VERSION 1.0.3.5

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

09/19/2023

FIRMWARE FILE INFORMATION

- GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin
MD5 checksum: 36d3d232f90d44661dc82ff9bd5b3e8c

CHANGES/ENHANCEMENT

- Fixed an issue caused by loopback packet detection mechanism.

FIRMWARE VERSION 1.0.3.4

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

08/08/2023

FIRMWARE FILE INFORMATION

- GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin
MD5 checksum: c7a4c56847c718e8ee6dcefc6e782dd6

CHANGES/ENHANCEMENT

- Added new feature of TURN server
- Added new feature of 2.5G SFP module support
- Optimized VPN packet forwarding
- Optimized QoS UI
- Internal bug fixes

FIRMWARE VERSION 1.0.1.6

PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

DATE

06/13/2023

FIRMWARE FILE INFORMATION

- GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin
MD5 checksum: 85e10887561ea8540af9e083d8f7f460

CHANGES/ENHANCEMENT

- This is the first release of GWN700X