

# **GWN700X Router Firmware Release Notes**

## **IMPORTANT UPGRADING NOTE**

- 1. After upgraded to 1.0.11.6, downgrade to 1.0.5.36 or prior will factory reset the device. Please back up all the configuration before downgrading.
- 2. GWN700x 1.0.5.35 or later firmware requires GWN Manager version to be at least 1.1.28.27 or newer.
- 3. Downgrading from firmware 1.0.5.x or higher version to 1.0.3.x or lower version will cause device to perform factory reset automatically. All device configurations will be reset to factory default settings after downgrading.



## **Table of Content**

IMPORTANT UPGRADING NOTE	1
FIRMWARE FILE DOWNLOAD	4
FIRMWARE VERSION 1.0.11.6	5
PRODUCT NAME	5
DATE	
	-
CHANGES/ENHANCEMENT NEW FEATURE OVERVIEW	
FIRMWARE VERSION 1.0.5.36	12
PRODUCT NAME	
FIRMWARE FILE INFORMATION CHANGES/ENHANCEMENT	
FIRMWARE VERSION 1.0.5.35	13
PRODUCT NAME	
FIRMWARE FILE INFORMATION CHANGES/ENHANCEMENT	
FIRMWARE VERSION 1.0.5.30	
PRODUCT NAME	
FIRMWARE FILE INFORMATION CHANGES/ENHANCEMENT	
NEW FEATURE OVERVIEW	
FIRMWARE VERSION 1.0.5.7	15
PRODUCT NAME	
DATE FIRMWARE FILE INFORMATION	
CHANGES/ENHANCEMENT	
FIRMWARE VERSION 1.0.5.6	
	_
PRODUCT NAME	



DATE	
FIRMWARE FILE INFORMATION	16
CHANGES/ENHANCEMENT	16
NEW FEATURE OVERVIEW	17
FIRMWARE VERSION 1.0.3.5	21
PRODUCT NAME	21
DATE	21
FIRMWARE FILE INFORMATION	21
CHANGES/ENHANCEMENT	21
FIRMWARE VERSION 1.0.3.4	22
PRODUCT NAME	
DATE	
FIRMWARE FILE INFORMATION	
CHANGES/ENHANCEMENT	
FIRMWARE VERSION 1.0.1.6	23
PRODUCT NAME	23
DATE	23
FIRMWARE FILE INFORMATION	23
CHANGES/ENHANCEMENT	23



# FIRMWARE FILE DOWNLOAD

Individual firmware files are available for downloading at URL below:

https://www.grandstream.com/support/firmware



## PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

## DATE

10/15/2024

## **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: b36e6c140de23e50e08b67aa0d6cd1b0

- Allow VLAN2 to be used.
- Optimized Trace IP feature.
- Optimized RADIUS configuration as a profile.
- Optimized dynamic route WAN action rule.
- Optimized Wireguard configuration.
- Optimized IPSec forwarding destination group configuration that users do not need to configure.
- Optimized VPN Web UI configuration for PPTP, OpenVPN, IPSec, L2TP, and Wireguard.
- Optimized VPN list display for rate, traffic, etc.
- Optimized Port forwarding configuration.
- Optimized automatic Daylight Saving/winter time zone detection.
- Optimized TR-069 ACS source configuration.
- Optimized hardware acceleration prompt text.
- Optimized Feedback configuration.
- Optimized WAN, client list information display.
- Optimized Client list filtering.
- Optimized the rate statistics period for wired and wireless clients.
- Optimized unit display on the file storage interface.
- Optimized Alert & Notifications Web UI.
- Optimized Static IP Binding configuration.
- Displays the client virtual IP when it connected to PPTP/OpenVPN Server.
- Changed IPSec Site-to-Site local source IP to be automatically obtained.
- Increased IPSec Site-to-Site the number of subnets.
- Disable password wizard after password provisioning.
- Disable the LED of the device is off.
- Disable Twitter forces Follow by default.
- After changing the login password, the web will be forcibly logged out.



- Modified the text "GWN Cloud" to "GDMS Networking".
- Increased The client validity period of the portal policy to 30 days.
- OpenVPN/Wireguard local ports automatically provide an available number.
- Modules such as policy routing/static routing/port forwarding support to search by name.
- GWN700x maximum number of APs supported command line open to 300.
- Added support for switch management.
- Added switch statistics to the dashboard.
- Added support for dynamic routing: OSPF/RIP/BGP.
- Added support for filtering by interface in the policy pool.
- Added default policy routing rule display function in policy routing.
- Added new filter based on load balancing policy name in policy routing.
- Added VPN configuration wizard.
- Added IPSec Site-to-Site currently connected subnet display.
- Added support for OpenVPN Server PSK one-click key generation.
- Added support for 6G band.
- Added "Authenticated Guest" status in the client list.
- Added a filter to the traffic rules, client list, etc.
- Added support for schedule in the traffic rule configuration.
- Added exception IP in DoS defense.
- Added support for wired client portal authentication.
- Added support for Bypass Splash Page in captive portal policy.
- Added support for captive portal on wired network.
- Added support for Standby on Demand mode for PPPoE.
- Added automatic synchronization router time configuration.
- Added support for setting up multiple NTP servers.
- Added domain to GWN router's LAN access.
- Added support to configure PPSK on the Cloud to take effect on the router.
- Added support to display the DDNS domain name configured through the Could.
- Added Web UI user manual guide.
- Added support to filter the AP device list based on device status.
- Added connected status to the selected WAN port.
- Added support for dashboard to display traffic statistics details for each WAN port.
- Added multiple language support.
- Added the option to set the Web GUI language on the configuration.
- Adjusted QoS bandwidth limit input range.
- Added support to show the ports to which the current device is connected in client list and AP list.
- Added real-time status update switch in the client list.
- Added a reminder if Mesh is not enabled on the router when taking over the RE device.
- Added support to clone rules in traffic rules, NAT, and port forwarding.
- Added support for exporting .ovpn files.
- Added VPN user manual guide.




- Added GWN APP management guide.
- Added standby mode in policy routing.
- Added support for failover to next rule in policy routing.
- Added IP address and IP address group profile.
- Added FQDN and FQDN group profile.
- Added object grouping profile support.
- Added support for importing OpenVPN Client CA and certificates.
- Added LAN port status alert.
- Added the ability to detect the public IP for DDNS and IPSec one key debug.
- Added the ability to detect the public IP when the GWN700x is behind another router.
- Added support for nslookup.
- Added support to configure blackhole for static routes.
- Added support for cloud security alerts.
- Added supports for cloud configuration of exempt IP, DoS defense, and Spoofing defense.
- Added support for cloud configuration of DDNS IP source and update interval.
- Added support for TR069, settings can be found under Maintenance.
- Added support to disable Inter-VLAN between specific VLANs.
- Added "Service Name" filed to the WAN PPPoE configuration.
- Cloud/Manager connection detection support multiple links.
- Fixed an issue that could lead L2TP VPN connection not stable.
- Fixed some PPTP VPN issues.
- Fixed some PPPoE issues.
- Fixed some OpenVPN issues.
- Fixed that VPN and Port Forwarding settings being deleted after WAN disabled.
- Fixed an issue that input wrong AP login password would not prompt error when takeover AP record.
- Fixed IPv6 address source display incorrect after deleting WAN1.
- Fixed large amount of packet loss in 2 LAN to 2 WAN streaming environment.
- Fixed USB device security popup is failed in some cases.
- Fixed an issue that when the SNMPv3 username or password contains ", the SNMP connection fails.
- Internal bug fixes.



#### **NEW FEATURE OVERVIEW**

#### Switch management






#### • Dynamic routing: OSP/RIP/BGP

S GWN7002	Enterpris	5e				👍 Q	👤 admin 🗸
⑦ Overview		OSPF					
① Network Settings		Global Settings	Interface Settings	Area Settings	Neighbor Info		
☐ Clients			OSPF				
VPN					Cancel Save		
💮 Routing							
Routing Table							
Policy Routes							
Static Routes							
OSPF	Ĺ	•					
RIP							
BGP							
Traffic Manageme							
👄 AP Management							
들 Switch Manageme							
┆┆ Access Control							
External Access	~				© 2024 Grandstream Networks, Inc. Grandstream Software License Agreement		

#### • VPN configuration wizard





## • Multiple Language Support


S GWN7002 Enterprise	🔼 Q 🛛 🕡 admin ^
Overview     Overview	English 🛛 Language
Overview Port Info Description	商体中文 <sup>〇</sup> Reboot 正師中文 <sup>②</sup> Setup Wizard Español <sup>□</sup> User Guide Français <sup>●</sup> <sup>ビ</sup> Feedback
System Info         13.87 Kaps           Image: System Info         13.87 Kaps           Image: System Info         11.72 Kaps           Image: System Info         11	Português Caracteria
	>
Switch Management	Level Time
Image: Second roll     Image: One of the second roll     Image: One of the second roll     Image: One of the second roll       Image: Image: Image: One of the second roll       Image: Image: Image: One of the second roll       Image: Image: Image: One of the second roll       Image: Image: Image: One of the second roll       Image:	1
Firewall     Online     Offline     Online     Offline     Offline     2.4G     5G     6G     Wired       Image: Captive Portal     0     0     0     0     0     0     0	No Alert
Maintenance ∨     1H 12H 1D 1W	

## • IP Address and IP Address Group

SGWN7002 Enterpris		△ Q	🧕 admin 🗸
<ul> <li>Traffic Management </li> </ul>	IP Address Group		
← AP Management ∨	IPv4 Address IPv4 Address Group IPv6 Address IPv6 Address Group		
🔄 Switch Management 🗸			
ἡ↓ἡ Access Control →			
🛱 External Access 🛛 🗸			
🖽 Firewall 🛛 🗸			
🔄 Captive Portal 🛛 🗸			
🖉 Maintenance 🗸 🗸			
🕞 System Settings 🗸 🗸	No data, please add.		
Profiles ^	Add		
MAC Group			
IP Address Group			
FQDN			
RADIUS			
Schedule			
Certificates	© 2024 Grandstream Networks, Inc. Grandstream Software License Agreement		



## • FQDN and FQDN Group





## **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

## DATE

08/07/2024

### **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: e9140b6cb1e88373f60aa1017ea8d14e

## **CHANGES/ENHANCEMENT**

• Internal bug fixes.



### PRODUCT NAME

GWN7001 / GWN7002 / GWN7003

## DATE

06/24/2024

#### **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: 13591e969ab15a297abf70e207f5791c

## **CHANGES/ENHANCEMENT**

• Enhanced security by adding support for GWN Manager that new access devices require password authorization for Layer 2 discovery.



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

#### DATE

01/23/2024

### **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: 9b9daf917dd0d0b869ed01524e4e683a

#### **CHANGES/ENHANCEMENT**

- Added the new feature of Speed test
- Added the new feature of ISP default configuration
- Internal bug fixes

#### **NEW FEATURE OVERVIEW**

• Speed test

GWN.Cloud III						
()) world-121.35.zij ≓	Dashboard					
(?) Dashboard	Internet Ro	ater Switch	AP	Clients	Alert	
🖹 Devices	+ 337.75(thps	Testing upload speed	×		🕍 Emergency	0
l <sub>aD</sub> Clients	· 37.62 thps	O You can view the maximum test speeds supported by all d	exice models		Warning	0
🗑 Guests 🗸 🗸	wan1~ 1	Internet 🕀 🛛 🖂 war	1	1 0	Votice	0
🖉 Map & Floor Plans	-12h Now Online	Offine 50 200		Wired Wreless		
🗄 Insight 🔷 🖌	For the Last 2 (2 hours) 1 day 1 week 1	month 20 300				8
	Clients Count	12 10 Mbps 600			Total: * 0 KB * 0 KB	All Clients
Settings ^		0 1000				
Wi-Fi		Upload				
LAN		Test Server: Saopaulo Service Provider: Grandstream Public IP: 216.238.102.158				
Internet						
VPN			0 Ken			
Traffic Management	. 0830 0840 0850 0900 0910	09.20 09.30 09.40 09.98 10.00 10.10 10.20	08.30 08.40	0650 09.00 09.15 09-20	0930 0940 0930 100	0 1010 1020
Firewall & Security	Client Manufacturer		Client OS			

• ISP default configuration

With the provided gs configuration tool, administrators can provision an ISP default configuration to the router. After provisioning, by performing factory reset, the device will restore to the customized default configuration other than the original factory default settings.



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

## DATE

12/15/2023

## **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: 6c6f845a68ff9290fdf4e88a3230751e

- Removed the DHCP range restriction on Static IP assignment which was added in 1.0.5.6
- Internal bug fixes



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

#### DATE

11/10/2023

### **FIRMWARE FILE INFORMATION**

GWN700x Firmware file name: gwn700xfw.bin
 MD5 checksum: 2d2479ff320d6dbce1c5eac2ab21c27e

- Added new feature of IGMP
- Added new feature of **HostName** access
- Added new feature of **IP Routed Subnet**
- Added new feature of DHCP Option Optimization & Option 43 Service List
- Added new feature of **Triple Play**
- Added new feature of **Bandwidth Limit**
- Added new feature of WireGuard®
- Added new feature of mDNS Bonjour
- Added new feature of Cloud/Manager Connection Diagnostics
- Added support of Transferring APs to GWN Cloud/Manager
- Added support of disabling/enabling Ethernet port
- Added support of Facebook/Twitter/Google authentication for Captive Portal
- Added support of 1 month data local store for GWN7003
- Added support of displaying associated Wi-Fi clients' information from managed APs
- Added support of exporting client/access point/guest list
- Added support of VPN cert backup and restore
- Added support of scheduling for SSID bandwidth limit and policy routing
- Added support of filtering clients by VLAN ID
- Added support of more Cloud Features: Portal, VPN, Policy Routing, Modifying web Password, Certification management, WAN Health, WAN VLAN Priority.
- Optimized the IP binding configurations
- Optimized the Alert settings and added more Alert events
- Removed DST for Mexico time zone
- More bug fixes



#### **NEW FEATURE OVERVIEW**

#### • IGMP

Support IGMP proxy and IGMP snooping settings.

5	GWN7062 Ente	erprise			🐟   Q   💽 admin 🗸
@	Overview	~	IGMP		
⊕	Network Settings	^	General Settings IGMP Multica:	st Group Table	
	Port Configuration		IGMP Proxy		
	WAN		IGMP Proxy	Once enabled, IGMP proxy are allowed to access any multicast group	
	LAN		* Interface ①	Please Select Interface ~	
	IGMP		IGMP Version	Auto	
	Network Acceleration	<	Query Interval (secs)	125	Default 125, range 1–1800
ςa	Clients				
<u>v</u> 711	VPN	~	IGMP Snooping	Once enabled, multicast traffic will be forwarded to the port belongin	
	Routing	~	IGMP Snooping	to the multicast group member. This configuration will be applied to a LAN ports	
	Traffic Management	~		Cancel Save	
۲	AP Management	~			
ţţţ	Access Control	~			
æ				© 2023 Grandstream Networks, Inc. Grandstream Software License Agreeme	nt

#### HostName Access

This will allow local users to use configured hostname to access router web portal.

👄 AP Management	~	Security Manage	ment			
┃ ┃ Access Control	~	Login Password	Web Service	SSH Service Passwordless Remot	te Access	
External Access	~	*HTTPS Port	)	443		Default 443, range 1–65535, excluding 14,80,223,224,8000,8080,8443,10014
도 Firewall	~ .	Web WAN Po	ort Access			
🔄 Captive Portal	,	* HostName		myrouter.grandstream.com		
A Maintenance	~			Cancel Save		
System Settings				Cancel Jave		
Basic Settings						
Security Managem						
Operation Mode 🚦	Beta					
Schedule						
Certificates						
File Sharing				© 2023 Grandstream Networks, Inc.	Grandstream Software License Agreemen	t

#### • IP Routed Subnet

Configuration is available to LAN settings, Once enabled, clients will be allowed to access WAN without NAT.



		192,100,294,9	
Al	Once enabled, clients under the VLAN will be allowed to access the Internet using their IP addresses.	8.8.8	
IPv	4 Routed Subnet 🛈		
Int	erface	ATT (WAN)	~

• DHCP Option Optimization & Option 43 Service List

5	GWN7052F	Enterprise					🐟   Q   💽 admin ~
Ø	Overview	~	LAN > Edit VLAN				
⊕	Network Settings	^	DHCP Service				
	Port Configuration		*IPv4 Address Allocation Range	192.168.4.2	- 192.	168.4.100	
	WAN		*Release Time(m)	120			Default 120, range 60~2880
	LAN		DHCP Option	Option 🛈	Туре	Service 🛈	Content ①
	IGMP			43	ASCII	Custom A	192.168.1.1
	Network Acceleratio	in <	Preferred DNS Server			Custom ACS URL	Add 🔁
GD	Clients		Freierreu Divs server			ProvisioningCode	
5994	VPN	~	Alternative DNS Server			Firmware Serve VLAN ID	
	Routing	~	IPv4 Routed Subnet ①			VLAN Priority	
	Traffic Management	~	VLAN Port IPv6 Address			Manager Server Manager Server	
-	AP Management	~		Cancel	Save		
†↓†	Access Control	~		© 2023 Grandstream	n Networks, Inc. Grandstrea	m Software License Agreeme	nt

## • Triple Play

Configuration is available at Network Settings  $\rightarrow$  WAN  $\rightarrow$  Edit WAN

*VLAN Tag ID/Port/Priority()	VLAN Tag ID	Port 🛈	Priority 🛈	
	Enter VLAN Tag ID	Choose Port	0	C

• Bandwidth Limit



5	GWN7062	nterpri	ise				🐟   Q   🚺 admin ~
	Network Settings		Bandwidth Limit > Add Bandwidth Li	imit			
G	Clients		*Name				1~64 characters
<b>V7N</b>	VPN		Status				
	Routing		Constraint Range	IP Address		~	
	Traffic Management		*IP Address/Mask Length	IP Address	/	Mask Length	
	Bandwidth Limit					Add	0
۲	AP Management	~	< Maximum Upload Bandwidth			Kbps ~	The range is 1~1024, if it is empty, there is no limit
ţţţ	Access Control		Maximum Download Bandwidth			Kbps ~	The range is 1~1024, if it is empty, there is no limit
<b>(</b>	External Access		Bandwidth Schedule				
臣							
Ę	Captive Portal			Cancel Save			
ß	Maintenance						
<u>L</u> ®	System Settings	~		© 2023 Grandstream Networks, Inc. Grandstream Soft	twar	e License Agreemen	t

#### • WireGuard®

S GWN7052F	Enterpri	ise		Saved successfully					
	~	WireGuard®		- Bure	successiony				
① Network Settings	~	WireGuard® Pe	ers						
🖵 Clients		Add Delete							
VPN	^	Name	Status	Ports	WireGuard® Address	Uptime	Upload	Doi Operations	
РРТР		WG_Server		WAN1 (WAN)		0s	<b>†</b> 0B	. C E ū	
IPSec								_	
OpenVPN®	<								
L2TP									
Remote Users									
l Routing	~								
Traffic Managemer	nt 🗸								
👄 AP Management	~			© 2023 Grandstrea	am Networks. Inc. Grands	tream Software License	Agreement		

• mDNS Bonjour



SGWN7052F Enterprise	🐟   Q   💽 admin ~	
⑦ Overview ~ LAN		
Network Settings      VLAN VLAN Port Settings	tatic IP Binding Local DNS Records Bonjour Gateway	
Port Configuration Bonjour Gateway 🕕		
WAN *VLAN ①	All VLANs $\times$	v
LAN * Service	Please Select Service	Q
IGMP	Any	
Network Acceleration	AirPlay	
□ Clients	AirPrint chromeCast	
VPN V	FTP	
🗓 Routing 🗸	HTTP	
🖂 Traffic Management 🗸	Samba	
👄 AP Management 🛛 🗸	SSH	
†∳† Access Control ✓	© 2023 Grandstream Networks, Inc. Grandstream Software License Agr	eement

Cloud/Manager Connection Diagnostics

S GWN7	003 Ente												Q	🚺 admin 🕚	
Overview			System Diagnos	tics											
Network Se			Ping / Traceroute	Core File	Capture	External Syslog	ARP Cache Table	Link Tracing Table	Network Diagnostics	PoE Diagnostics	Cloud/Manager Connection Diagnostics				
<b>G</b> ∂ Clients			① Connection Pla	tform: Cloud	Connection Sta	tus: Connected									
VPN			Connection Detection												
[] Routing															
Iraffic Man															
👄 AP Manage															
\$\$\$ Access Con															
🕀 External Act															
🗄 Firewall		<													
Captive Por		Ľ	✓ WS(6) Upgrade Phase												
🔑 Maintenand	e 🦯					0									
TR-069						Log									
SNMP						Get Log Ex	port								
Backup & R	estore														
System Diaį	nostics														
Upgrade															
Alerts & No															
्रि® System Sett	ings 🗸						© 2023	l Grandstream Networks, In	c. Grandstream Software Lic	tense Agreement					



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

### DATE

09/19/2023

#### **FIRMWARE FILE INFORMATION**

 GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin MD5 checksum: 36d3d232f90d44661dc82ff9bd5b3e8c

## **CHANGES/ENHANCEMENT**

• Fixed an issue caused by loopback packet detection mechanism.



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

### DATE

08/08/2023

#### **FIRMWARE FILE INFORMATION**

 GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin MD5 checksum: c7a4c56847c718e8ee6dcefc6e782dd6

- Added new feature of TURN server
- Added new feature of 2.5G SFP module support
- Optimized VPN packet forwarding
- Optimized QoS UI
- Internal bug fixes



### **PRODUCT NAME**

GWN7001 / GWN7002 / GWN7003

## DATE

06/13/2023

#### **FIRMWARE FILE INFORMATION**

 GWN7001/GWN7002/GWN7003 Firmware file name: gwn700xfw.bin MD5 checksum: 85e10887561ea8540af9e083d8f7f460

## **CHANGES/ENHANCEMENT**

• This is the first release of GWN700X